## agr201 List of Questions

Latex formatted questions may not properly render

Q1 Which of these options is not a characteristic of Cartilaginous fish?

<ul> <li>They belong to the Class Chondrichthyes</li> </ul>	
<ul><li>presence of internal jaws</li></ul>	
They belong to the class Osteichthyes	
internal skeleton composed of cartilage	
Q2 On the basis of body skeleton, which fish is the odd one out?	
O Jawless Fish	
○ Shell fish	
O Lampreys	
O Hagfish	
Q3 Marine fish are	
fish that live in salty seawater	
the fish that live in freshwater	
ish that live in salt or fresh water	
None of the options	
-	
Q4 Fish that need colder temperatures are referred to as	fish
tropical	
fresh water	
ocold water	
o marine	
Q5 Features of Artisanal Fisheries include:	
remoteness of village fishing centres to commercial centres	
<ul> <li>poor access roads to fishing villages</li> </ul>	
<ul> <li>inadequate preservation and processing capabilities</li> </ul>	
<ul><li>All of the options</li></ul>	
	64 14 11 14 1 14
are currently of special interest in genetic analysis of	of the relationships between chordates
Shell fish	
Lobster	
<ul> <li>Buffalo fish</li> </ul>	
O Hagfish	
07 a substance obtained from the swim bladders of fis	h is used for the clouification of wine and been
Q7, a substance obtained from the swim bladders of fis	in is used for the clarification of wine and beer.
Fish glue	
O Isinglass	
Phycocolloids	
○ Fish emulsion	
Q8 Which of the folloing aquatic animals is not a mammal?	
Periwinkles	
Whales	
Ophins	
○ Seals	
Q9 Silage is	
fermented green forage	
dehydrated green forage	
standing hay	
<ul><li>salvage feed</li></ul>	
Q10 One of the following is not a method of forage conservation	
Husklage	
Fodder bank	
Fresh legumes	
· · · · · · · · · · · · · · · · · · ·	
O Hay	

<ul> <li>Q11 The main aims of good pasture management include:</li> <li>To obtain maximum herbage yield with the highest possible nutritive value throughout the year</li> <li>To keep pasture productive and prevent any overall decline in quality</li> <li>To ensure efficient utilization of forages and convert the feed to saleable products</li> <li>All of the options</li> </ul>
Q12 Which of these options is a tropical grass?  Pueraria phaseoloides  Pennisetum purpureum  Leucaena leucocephala  Centrosema pubescens
Q13 Housing of farm animals depend on the following factors except:  Type of Animal Type of Production Type of climate Type of Management
Q14 Which of these options is important for dairy production?  Animals should be of slender body and low body weight, but the udders have to be big  Animals should be very fleshy around the rump, forelimbs and chest  Animals should have long legs, thick necks and broad shoulders  Animals should be of a good breed reputed to be a high egg-laying potential
Q15 In selection of good animals, which option is not true about the health of the animal?  The nose should be fairly moist  The eyes should be filled with muscus  The mouth, tongue, teeth and gums should be moist, blood-filled  The skin coat should be shining, of the right colour
Q16 the practice of raising grazing livestock such as cattle and sheep for meat or wool is  free range scavenging ranching feeding
Q17 The system that can be regarded as the intermediate between the free range and intensive systems of livestock management is intensive semi-intensive extensive at all of the options
Q18 In Nigeria, there are systems of managing farm animals  4  3  5  2
Q19 Factors which influence the distribution of cattle include:  Incidence of tsetse fly  Availability and adequacy of pastures  The habitation and social characteristics of the herdsmen  All of the options
Q20 The reasons for pattern in domestic livestock keeping includes all the following except:  the need to provide means of sustenance to secluded women  the widespread use of droppings as manure  the scavenging habits of some domestic animals  the use of manure for cooking
Q21 On the basis of photoperiod, there are groups of plants

<ul><li>3</li><li>2</li></ul>
0 4 0 5
Q22 Solar radiation is essentially important during  mulching suppression of weed growth organic matter supply
<ul> <li>evapotranspiration</li> <li>Q23 The effects of temperature on farming system include:         <ul> <li>high temperatures render built-in fallows ineffective</li> <li>high night temperature favours high respiratory rates and exhaustion of plant assimilates</li> <li>rapid soil organic matter decomposition due to high microbial activities</li> <li>All of the options</li> </ul> </li> </ul>
Q24 Effects of excessive rainfall include the following but:  Leaching Drought Waterlogging Weed infestation
Q25 Unlike roots, have nodes and internodes, with the nodes containing growing points  suckers stolons tubers rhizomes
Q26 Examples of plants propagated through runners/stolons are:  Pineapples and bananas  Strawberries and yarrow  Pears and raspberries  Onions and ginger
Q27 Scoring process of bulb propagation involves:  complete removal of the basal plate removal of apical dominance making three knife cuts cross the base of the bulb enough to destroy the main shoot All of the options
Q28 A is the swollen base of a stem enclosed by dry scale-like leaves.  bulb graft sucker corm
Q29 Which cutting enhances chimera production in African violet?  Flower stalks  Leaf-bud  Split-vein  Whole leaf without petiole
Q30 Agood example of leaf cutting can be found in:  Magifera indica Citrus limon Bryophyllum pinnatum Theobroma cacao
Q31 is similar to budding in theory  Grafting Layering Cutting

<ul><li>Budding</li></ul>	
Q32 Layering	is a vegetative plant part which is severed from the parent plant in order to regenerate the parent plant
<ul><li>Cutting</li></ul>	
<ul><li>Budding</li></ul>	
<ul><li>Grafting</li></ul>	
Q33 Which option  Curve	n is not a type of layering technique?
Serpentine	
<ul><li>Trench</li></ul>	
O Stool	
Q34 Which one o  Rootone	of these options is not a rooting hormone?
Rootonex	
Hormondin	
O Hormonex	
	ges of grafting include:
Graft incompa	
	etion in grafted plants
<ul><li>Death of roots</li><li>All of the optic</li></ul>	
-	
Q36 Grafting is lo  True	ess labour-intensive, expensive, efficient in poor weather and plant growth conditions
O False	
Unsure	
None of the O	ptions
Q37 g	rafting allows the production of plants identical to a parent plant.
O Chip	
<ul><li>Joined</li></ul>	
O Bud	
Q38	budding is used for budding species whose barks do not �??slip�?�
O Bud	
○ T	
O Chip	
<ul><li>Joined</li></ul>	
Q39 Advantages	of sexual propagation include:
	ortation of planting materials
Less cost	
Hybrid vigour	
All of the option	ons
	yer of a seed is known as
<ul><li>embryo</li><li>testa</li></ul>	
eye eye	
ovule	
041 Mardern for	rming systems include all the following except
Livestock Ran	
Shifting Cultiv	
Intensive Live	
	arms & Plantations

Q42 The general purposes of crop rotation include all the following except\_\_\_\_\_

reduction of the build-ureduction of allelopathi	up of pests and pathogens
Q43 The system that invo  Mixed Cropping  Mono Cropping  Mixed Farming  Mono Farming	olves the complementary raising of crops and livestock is
Q44 Examples of woody l  Leucaena leucocephala  Gliricidia sepium  Gmelina arborea  Oryza sativa	hedgerow species includes all except
Q45 Agro-forestry practice  Mono Cropping  Taungya Farming  Bush Fallowing  Mixed Cropping	ce whereby crop husbandry is combined with forest management is
Q46 Cropping system in	which different but specific crops are grown on the same piece of land in a logical or scientific sequence is
Crop rotation Continuous Cropping Mixed Cropping Mono Cropping	
Q47pr  Crop rotation Continuous Cropping Mixed Cropping Mono Cropping	actice dates back to the end of the Middle Ages, traceable to the ancient Romans
Q48 A modern cropping  Shifting Cultivation  Bush Fallowing  Continuous Cropping  Mixed Cropping	system in which the same piece of land is cultivated year-in-year-out is
Q49 The simultaneous cu	ltivation of two or more crops on the same piece of land in at least a part of the growing season is
<ul><li>Shifting Cultivation</li><li>transhumance pastoral</li><li>Bush Fallowing</li><li>Mixed Cropping</li></ul>	nomadism
Q50 The system where he Shifting Cultivation transhumance pastoral Bush Fallowing Mixed Cropping	nomadism
Q51	_ agriculture comprises predominantly of traditional multiple cropping systems which vary with prevailing mers, and changes with population pressure
052	plants are cultivated in agriculture and forestry not for direct honofits to man but for their

capacity to encourage the growth and development of other plants.
○ Elastomer
Fibre
Forage
<ul> <li>Ancillary</li> </ul>
Q53 Plants that contain natural protective compounds e.g pyrethrins are
tannin
<ul><li>colourings</li></ul>
pesticides
waxes
Q54 Complex phenolic compounds with a large number of oxygen functions are materials
O tannin
© colourings
pesticides
waxes
OSS Warran and the All the Sall and the Sall
Q55 Waxes are used in all the following materials except
lipstick candles
<ul><li>perfumes</li><li>chewing gum</li></ul>
Chewing guin
Q56 Zeaxan is a pigment got from
sunflower
tomatoes
cucumber
• trees
Q57 Plants cultivated in agriculture and forestry not for direct benefits to man but for their capacity to encourage the growth and development of other plants are called
Forage Plants
Ancillary Plants
O Waxes
<ul><li>Pesticides</li></ul>
Q58 Plants which contain chemical compounds that increase the physical and mental effectiveness, quench thirst and hunger, break
down psychic inhibitions are
<ul><li>Beverages</li><li>Masticatories</li></ul>
Stimulants
All of the above
Q59are of great significance in the tropics and subtropics ,supplying minerals, vitamins, proteins
O Vegetables
Protein  Or 1
Starch
O Nuts
Q60 Crops grown primarily for their high calorific value in human diets as starch, carbohydrates and sugar are
○ sugar
protein
starch
o vegetables
Q61 Crops which complete their life cycle in one year are called
© biennials
<ul><li>annuals</li></ul>
perennials
starch
Q62 Labiatae, Cactaceae, Crassulariaceae and Salicaceae all belong to the subclass

Compositae
Monocotyledonae
O Amaryllidaceae
<ul><li>Dicotyledonae</li></ul>
Q63 Plants that produce seeds and are protected by fruits and have flower structures as the means of sexual reproduction belong to the class
O Angiospermae
O Gymnospermae
O Amaryllidaceae
○ Leguminosae
Q64 Systematic agriculture was first practised in
○ USA
Canada
O Southwest Asia
O UK
Q65 Excess carbon IV oxide and leads to global climate changes or global warming.
nitrogen II oxide
onitrogen IV oxide
carbon II oxide
sulphur II oxide
Q66 Extensive growth and surface cover of floating aquatic weeds is a menace to
crop production
animal production
onavigation
climate change
Q67 Large-scale slash-and-burn techniques of subsistence farming result in nutrient-poor
water
○ crops
<ul><li>animals</li></ul>
Q68 Agricultural land include all but
of forest reserves
planted fallow
1
plantation crops
<ul><li>seaports</li></ul>
O(0 The next colonial are was between
Q69 The post colonial era was between
1970-1978
1960-1968
□ 1962-1968
□ 1982-1988
Q70 Interventions for improving food production include the following except
Operation Feed the Nation
River Basin & Rural Development Authorities
The World Bank-funded Agricultural Development Programmes/Projects
Green Revelation Programme
Q71 Agricultural development is in phases
0 5
O 2
Q72 Non Agricultural land include all the following except
Pastoralism

Railways

<ul><li>Seaports</li><li>Reservoirs</li></ul>
Q73 The Federal Government reformed land tenure system by the Land Use Decree allocates
Q74 involves the payment of a certain amount of money for the use of the land over a specified period of time.  Rent Land Inheritance Land Tenure Leasehold System Freehold
Q75 is not a grain legume  Locust bean  Bambara nuts  Groundnut  Kolanut
Q76 Which of the following is not a cereal crop?  Flax Sorghum Maize Rice
Q77 Adverse effects of the degradation of ecosystems include the following options except  Loss of biodiversity Advances in agriculture technology require a little energy input Increasing contamination of waterways and wetlands Pest resistance to agro-chemical pesticides
<b>Q78 About</b> of the World�??s labourers are employed in agriculture  □ 0.5  □ 0.26  □ 0.42  □ 0.84
Q79 Roles of Agriculture include all the following except  predominant occupation of the working population the major source of income, especially for the rural populace provision of raw materials for manufacturing industries land dispute and village settlement
Q80encompasses farming, tending of orchards and vineyards and ranching.  Ranching Horticulture Silviculture Agriculture