Question Flammable solvents in a mixture should be boiled away in a
Answer fume cupboard
Question A Buchner funnel is mainly used for
Answer vacuum filtration
Question Most fire in the laboratory can be prevented by the use of
Answer Common sense
Question All the following explodes on contact with water except
Answer Aluminium
Question The following are the first things to be done when determining the density of an unknown metal cube except
Answer Measure the height and width of the cube
Question A metal sphere weighing 19.48g is added to 20ml of water in a graduated cylinder. If the density of the metal is 4.50g/ml, what will be the new level of water in the graduated cylinder?
Answer 24.33ml
Question You are given a bottle that contains 4.59cm3 of a metallic solid. The total mass of the bottle is 36.66g. The empty bottle weighs 14.23g. What is the density of the solid?

Answer 4.67 g/cm3

Question The following interaction(s) are responsible for holding molecules in a liquid together in a defined volume except
Answer metallic bonding
Question The vapor pressure exerted by a liquid is to its temperature.
Answer directly proportional
Question To prevent bumping of a hot liquid out of the container, is added. Answer
boiling chips
Question Flammable solvents in a mixture should be boiled away in a
Answer fume cupboard
Question A Buchner funnel is mainly used for
Answer vacuum filtration
Question Most fire in the laboratory can be prevented by the use of
Answer Common sense
Question All the following explodes on contact with water except
Answer Aluminium

Question

The following are the first things to be done when determining the density of an unknown metal cube except
Answer Measure the height and width of the cube
Question A metal sphere weighing 19.48g is added to 20ml of water in a graduated cylinder. If the density of the metal is 4.50g/ml, what will be the new level of water in the graduated cylinder?
Answer 24.33ml
Question You are given a bottle that contains 4.59cm3 of a metallic solid. The total mass of the bottle is 36.66g. The empty bottle weighs 14.23g. What is the density of the solid?
Answer 4.67 g/cm3
Question The following interaction(s) are responsible for holding molecules in a liquid together in a defined volume except
Answer metallic bonding
Question The vapor pressure exerted by a liquid is to its temperature.
Answer directly proportional
Question To prevent bumping of a hot liquid out of the container, is added.
Answer boiling chips