Which one of the following is not a factor to be considered in selecting a good recrystallization solvent? Hardness The most polar solvent used for recrystallization is _____ Water The ratio of mass measured in grams per the molar mass of the substance is called mole The purity of solid after crystallization can be verified by Taking the melting point Impure solid products of chemical reactions can best be purified by Recrystallization Calculate the volume of acid needed to prepare 500ml of 2.0 molar concentration of acid, if the stock bottle of the acid reads 1.25 specific gravity, 56% by mass and molar mass of acid 56. A suitable recrystallization solvent should possess the following features except It should react with the compound being purified. Gelatinous precipitate such as Aluminium hydroxide are best filtered using ashless filter paper A standard solution has a known concentration A solution contains 2.65g of anhydrous sodium carbonate in 250cm3 of solution. Calculate the concentration. 10.6q/dm3A liquid is in equilibrium at any given temperature with its ---? vapour What is the boiling point of mixture of 95 % ethanol -5 % water? 78.1oC What is the boiling point of ethanol? 78oC - 79 oC Which of the following is a factor for a successful application of distillation techniques? temperature Which of the following is a physical property for the characterization of pure compounds? boiling point

The boiling point of a liquid is a measure of its? volatility

The third kind of weighing machines invented is?

digital weighing scales

Which of the following is used for heating above 100oC and up to 200oC? sand bath

The pressure that the molecules at the surface of the liquid exert against external pressure is called? vapour pressure

Two major types of distillation are? fractional and simple distillation

Density is an example of ? quantities

Laboratory glassware is often held with? Clamps

Two layers are formed during? extraction

Which of the solvents has the lowset boiling point ethyl ether

Soxhlet extractors are used for? extraction

760 mmHg = ?1.0 atm

The higher the boiling point, the higher the molecular weight $\ensuremath{\mathsf{N}}$

Equilibrium distribution is used for? extraction

What is the function of voltage control of a heating device? control the current

How many bond does nitrogen represent in an organic kit? 3

What is the condensed formula for cyclobutane? CH2CH2CH2CH2

How many bond does carbon represent in organic model kit $\mathbf{4}$

Which of the following is a recrystallization solvent? Ethanol

How many carbon atom end cycloalkanes? none

what effect does insoluble impurities have on the melting point? no effect

What is the colour of chlorine in organic model kit? green

What is the melting point of Vanilin?

81 - 82 oC

What happens when you high the setting of the voltage control of a heating device? the faster the temperature rise

What is the function of voltage control of a heating device? control the current

How many bond does nitrogen represent in an organic kit? 3

What is the condensed formula for cyclobutane? CH2CH2CH2CH2

How many bond does carbon represent in organic model kit $\mathbf{4}$

which of the statement is correct about constitional isomer? the isomers have different physical and chemical properties

Which of the following compound should be boiled only in the hood? $\mathtt{NH4OH}$

Which of following glassware is used for temporary storage? CC14

Which of the following is not correct in the laboratory dehydration

Which of the following compound can eat away living tissue? Wear contact lenses

Which of the following statement is not correct when working in the laboratory?

Do not work in the laboratory with more than three persons

Which of the compound accumulates in the fatty tissues of living system? mixture of petroleum ether and diethyl ether

What apparatus is used for the separation of two immisicible liquids? separating funnel

Which of the following emits ammonia vapour? $\ensuremath{\mathtt{NaOH}}$

TMA

Cu is less positive

<57.5 kj/mol

Endothermic reaction

Cu + Sn + Ai + Ca

```
256g/cm3
```

2-3

0.078 cm3

The higher the molecular weight, the lower the boiling point.

Weigh a clean wet graduated cylinder and record it's mass.

4 (The step for folding filter paper for gravity filtration)
2
Heating Mantle
Liquid
Silicon
Hot Plate
Perpendicular
Hydraulic Scales
Oil Bath
Furnace

Beaker
Volumetric Flask
Burette
Round-bottom
Dessicator
Needle Valve
Buchner
Tong
Condenser
Steam bath

Chm192 tma 10/10

- 1. Quantity
- 2. Raoult's
- 3. Recrystallization (The method of purifying a solid is)
- 4. Applied
- 5. Ethyl ether
- 6. Distillation
- 7. Fractional Distillation
- 8. Immiscible
- 9. Impurities
- 10. Melting point
- 1. The ratio of mass measured in grams per the molar mass of the substance is called

--->> mole

concentration

Normality

Percentage of weight

2. Calculate the volume of acid needed to prepare $500\mathrm{ml}$ of 2.0 molar concentration of acid, if the stock bottle of the acid reads 1.25 specific gravity, 56% by mass and molar mass of acid 56 .	
	2ml
>>	8ml
	4ml
	10ml
3. A solution contains 2.65g of anhydrous sodium carbonate in $250\mathrm{cm}3$ of solution. Calculate the concentration.	
	10.6g/dm3
	0.1mol/dm3
>>	all of the above
	none of the above
4. A standard solution has a known	
	molar mass
>>	concentration
	molarity
	normality
5. Gelatinous precipitate such as Aluminium hydroxide are best filtered using	
>>	ashless filter paper
	sintered glass crucible
	ash filter paper
	oxalate
6. The purity of solid after crystallization can be verified by	
	Solubility
	Ionization
>>	Taking the melting point
	Increasing the temperature
7. Impure so	olid products of chemical reactions can best be purified by

Distillation --->> Recrystallization Fractional distillation Sublimation 8. Which one of the following is not a factor to be considered in selecting a good recrystallization solvent? --->> Hardness Flammability Toxicity Cost 9. The most polar solvent used for recrystallization is --->> Water Ethanol Diethyl ether Methanol 10. A suitable recrystallization solvent should possess the following features except It should be partially volatile in order to be easily removed from the purified crystals --->> It should react with the compound being purified. It should have boiling point below the melting point of compound being purified It should not react with compound being purified 1. What is the volume of nickel 0.56 kg with density of 8.90 g/cm? 72.90 cm --->> 62.90cm 51.60cm 70.20cm 2. What is the colour of phenolphthalein end point for standardization of NaOH solution? red

colourless

```
--->> light pink
           purple
3. Which of the solvent has problem of fumes and explosions?
     --->> ethyl ether
           chloroform
           n- hexane
           n-butane
4. The total number of dipole-dipole is increased by?
           less polar element in the molecue
     --->> more polar element in the molecule
           more non-polar element in the molecule
           less nOn-polar element in the molecule
5. The solution can be stirred in order to promote?
           fast boiling
           strong boiling
     --->> smooth boiling
           quick boiling
6. Molecules of compounds that exist in the liquid state are relatively--
           far apart
           not the same
     --->> close together
           move around each other
7. What method is used in determination of boiling point if the volume of
the liquid is small?
           macro method
     --->> micro method
           normal method
           boiling point method
8. Atmospheric pressure is designated by ?
```

atmospheric pressure

```
Ра
     --->> Patm
           Ρ
9. For each 10 mmHg change in pressure, te boiling point will change
approximately by?
           1.0 oC
     --->> 0.5oC
           5oC
           -0.5oC
10. A number and scale or unit is called?
           fractions
           integers
     --->> measurement
           pH scale
1. The temperature at which sublimation occurs is called?
           sublime
     --->> sublimation point
           melting point
           gaseous point
2. Higher boiling point temperature means?
           more molecule
     --->> more energy
           more temperature
           less volume
3. Increased in molecular weight increases?
           melting point
     --->> boiling point
           temperature
           volume
```

4. At what melting point range does solid melt sharply? 0 -10 oC 0- 5 oC --->> 0.5 - 1.0 oC0 oC 5. Melting point of a solid is useful as? --->> indication of purity determine molecular weight shape of the solid as in boiling point 6. Melting point of a mixture is called? steoric point isobestic point --->> mixture melting point freezing point 7. Most melting point are determineed as? normal liquefies --->> capillary melting point low temperature 8. What happens to a pure solid when the forces of attraction between its particles are the same melt slowly melt with more time does not melt --->> melt sharply 9. An impure solid melts at? high temperature moderate temperature --->> lower temperature

100 oC

10. The mixture of two compound which has a lower melting point than any other mixture of the two compound is called?

lower mixture

mixed temperature

mixed melting point

--->> eutectic mixture