=====

1. Impure solid products of chemical reactions can best be pu	rified b	ρZ
---	----------	----

Distillation

--->> Recrystallization

Fractional distillation

Sublimation

2. The ratio of mass measured in grams per the molar mass of the substance is called $\frac{1}{2}$

--->> mole

concentration

Normality

Percentage of weight

3. The purity of solid after crystallization can be verified by

Solubility

Ionization

--->> Taking the melting point

Increasing the temperature

4. Calculate the volume of acid needed to prepare 500ml of 2.0 molar concentration of acid, if the stock bottle of the acid reads 1.25 specific gravity, 56% by mass and molar mass of acid 56.

2ml

--->> 8ml

4ml

10ml

5. A solution contains 2.65g of anhydrous sodium carbonate in 250cm3 of solution. Calculate the concentration.

10.6g/dm3

0.1 mol/dm3

--->> all of the above

none of the above

6. A standa	rd solution has a known
	molar mass
>>	concentration
	molarity
	normality
7. The most	polar solvent used for recrystallization is
>>	Water
	Ethanol
	Diethyl ether
	Methanol
8. Gelatino using	us precipitate such as Aluminium hydroxide are best filtered
S	ashless filter paper
	sintered glass crucible
	ash filter paper
	oxalate
	e of the following is not a factor to be considered in good recrystallization solvent?
>>	Hardness
	Flammability
	Toxicity
	Cost
10. A suita features ex	ble recrystallization solvent should possess the following cept
from the pu	It should be partially volatile in order to be easily removed rified crystals
>>	It should react with the compound being purified.
compound be	It should have boiling point below the melting point of ing purified
	It should not react with compound being purified