

Question

Which of the following operations does Matlab allow?

Answer

All of the options

Question

Which of the following programming languages can Matlab interface with

Answer

All of the options

Question

Which of the following is not one of the toolboxes present in Matlab

Answer

All of the options

Question

Which of the options is the type of loop that Matlab provides

Answer

All of the options

Question

Matlab can be applicable to the following except

Answer

None of the options

Question

Web pages starts with which of the following tag?

Answer

Question

www is based on which model?

Answer

Client Server

Question

Markup tags tell the web browser

Answer

How to display the page

Question

Correct HTML tag for the largest heading is

Answer

Question

From which tag does descriptive list starts

Answer

Question

The common element which describe the web page is _____

Answer

All of the options

Question

Unsigned intergers in C++ are _____

Answer

Non- Negative numbers

Question

Overflow in C++ is a one kind of _____

Answer

Run time error

Question

In C++ keyword are also called _____

Answer

Reserved words

Question

After Computing the FORTRAN statement: $y=c/d + a*X^{**2}-5$. Which operation is performed first by the computer?

Answer

**

Question

What are the basic datatypes in FORTRAN?

Answer

Integer, Real, logical, Character

Question

Which of the following is invalid statement in FORTRAN

Answer

P+Q+

Question

Which of the following is valid Fortran Constant?

Answer

All of the options

Question

Language used to solve Computer mathematical Computations is termed as

Answer

Fortran

Question

Which of the following is a string variable?

Answer

C\$

Question

Which of the following does not go through interpreter, compiler and Assembler?

Answer

Low level language

Question

Who is the inventor of the first mechanical adding machine

Answer

Blaise Pascal

Question

Decision box is mostly used in the _____

Answer

Flowchart

Question

Which of the logic structures uses serial operations

Answer

Sequence

Question

Nassi-shneidermann structure is one of the forms of representing

Answer

Algorithms

Question

The only Language understood by the computer is

Answer

Machine language

Question

Which of the following is an Object - Oriented Language?

Answer

Java

Question

The program testing are the following except

Answer

Coding

Question

Which of the following is not an example of an Operating system?

Answer

Window 75

Question

The following are Operating System processing programs except.

Answer

Control programs

Question

Which of the following operations does Matlab allow?

Answer

All of the options

Question

Which of the following programming languages can Matlab interface with

Answer

All of the options

Question

Which of the following is not one of the toolboxes present in Matlab

Answer

All of the options

Question

Which of the options is the type of loop that Matlab provides

Answer

All of the options

Question

Matlab can be applicable to the following except

Answer

None of the options

Question

Web pages starts with which of the following tag?

Answer

Question

www is based on which model?

Answer

Client Server

Question

Markup tags tell the web browser

Answer

How to display the page

Question

Correct HTML tag for the largest heading is

Answer

Question

From which tag does descriptive list starts

Answer

Question

The common element which describe the web page is _____

Answer

All of the options

Question

Unsigned intergers in C++ are _____

Answer

Non- Negative numbers

Question

Overflow in C++ is a one kind of _____

Answer

Run time error

Question

In C++ keyword are also called _____

Answer

Reserved words

Question

After Computing the FORTRAN statement: $y=c/d + a*X^{**2}-5$. Which operation is performed first by the computer?

Answer

**

Question

What are the basic datatypes in FORTRAN?

Answer

Integer, Real, logical, Character

Question

Which of the following is invalid statement in FORTRAN

Answer

P+Q+

Question

Which of the following is valid Fortran Constant?

Answer

All of the options

Question

Language used to solve Computer mathematical Computations is termed as

Answer

Fortran

Question

Which of the following is a string variable?

Answer

C\$

Question

Which of the following does not go through interpreter, compiler and Assembler?

Answer

Low level language

Question

Who is the inventor of the first mechanical adding machine

Answer

Blaise Pascal

Question

Decision box is mostly used in the _____

Answer

Flowchart

Question

Which of the logic structures uses serial operations

Answer
Sequence

Question
Nassi-shneidermann structure is one of the forms of representing

Answer
Algorithms

Question
The only Language understood by the computer is

Answer
Machine language

Question
Which of the following is an Object - Oriented Language?

Answer
Java

Question
The program testing are the following except

Answer
Coding

Question
Which of the following is not an example of an Operating system?

Answer
Window 75

Question
The following are Operating System processing programs except.

Answer
Control programs