NSS211 List of Questions

Latex formatted questions may not properly render

Q1 The inner coat of the wall of the arteries in the circulatory system is also called _
O Tunica externa
C Tunica media
C Tunica interna
None of the Options
Q2 The outer coat of the arteries in the circulatory system is also known as O Tunica externa
O Tunica externa O Tunica interna
O Tunica media
O None of the Options
•
Q3 Blood that comes back to the heart is called blood.
C Oxygenated
© Deoxygenated
DehydrigenatedNone of the Options
None of the Options
Q4 The following are auto-immune disease conditions except
O Grave's disease
Myasthenia gravis
C Rheumatoid arthritis
Q5 A bee-sting reaction can be described as
Anaphylactic reactionCytotoxic reaction
© Immune complex reaction
None of the Options
of the of the option
Q6 Rheumatoid arthritis is a manifestation of
C Type III reaction C Type I reaction
Type III reactionType I reactionType II reaction
C Type III reaction C Type I reaction
 Type III reaction Type II reaction Type IV reaction
 Type III reaction Type I reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as
 Type III reaction Type I reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction
 Type III reaction Type I reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as
 Type III reaction Type II reaction Type IV reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction Type II reaction
 Type III reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction Type II reaction Type III reaction Type III reaction Type IV reaction Type IV reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type IV reaction C Type IV reaction C Type IV reaction C Type IV reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type II reaction C Type II reaction C Type II reaction C Type III reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type IV reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type III reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type II reaction C Type II reaction C Type II reaction C Type III reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type IV reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type III reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type III reaction C Type IV reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type III reaction C Type III reaction C Type IV reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type III reaction C Type III reaction C Type III reaction C Type III reaction C Type IV reaction
C Type III reaction C Type I reaction C Type II reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type III reaction C Type III reaction C Type IV reaction
C Type III reaction C Type II reaction C Type IV reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type IV reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type IV reaction
 Type III reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction Type II reaction Type III reaction Type IV reaction Q8 Cytotoxic reactions are also known as Type I reaction Type II reaction Type III reaction Type III reaction Type IV reaction Q9 Which of the following organs is not a component of the urinary system? Ureter Vomer Kidney Urethra Q10 Which of the following is not a major function of the kidney?
 Type III reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction Type II reaction Type III reaction Type IV reaction Q8 Cytotoxic reactions are also known as Type IV reaction Q8 Cytotoxic reactions are also known as Type II reaction Type III reaction Type IV reaction Q9 Which of the following organs is not a component of the urinary system? Ureter Vomer Kidney Urethra Q10 Which of the following is not a major function of the kidney? It regulates blood volume and composition
 Type III reaction Type II reaction Type IV reaction Q7 Cell-mediated reactions are also known as Type I reaction Type II reaction Type III reaction Type IV reaction Q8 Cytotoxic reactions are also known as Type I reaction Type II reaction Type III reaction Type III reaction Type IV reaction Q9 Which of the following organs is not a component of the urinary system? Ureter Vomer Kidney Urethra Q10 Which of the following is not a major function of the kidney?
C Type II reaction C Type II reaction C Type IV reaction C Type IV reaction Q7 Cell-mediated reactions are also known as C Type I reaction C Type II reaction C Type II reaction C Type III reaction C Type IV reaction Q8 Cytotoxic reactions are also known as C Type I reaction C Type II reaction C Type III reaction C Type III reaction C Type III reaction C Type IV reaction C Type IV reaction C Type IV reaction Q9 Which of the following organs is not a component of the urinary system? C Ureter C Vomer C Kidney C Urethra Q10 Which of the following is not a major function of the kidney? C It regulates blood volume and composition C It regulates blood pressure

 $\mathbf{Q11}$ $\underline{\phantom{\mathbf{Q11}}}$ is responsible for the selective secretion of more solutes into filtrates.

Calcuting makes matter
College of the state of the sta
Glomerular filtration
C Tubular secretion
012 The major feater effecting the glamarule filtration rate is the
Q12 The major factor affecting the glomerula filtration rate is the The glomerular hypertensive pressure
The glomerular hypotensive pressure
The glomerular hydrostatic pressure
None of the Options
Q13 During filtrate production, tubular reabsorption leads to
© Filtering of fluid and waste solutes out of the blood
© Returning of importagnt solutes to the blood
C All of the above
None of the Options
•
Q14 The product that is formed after the nephron has carried out its filtering function is called
© Filtrate
O Blood
C All of the above
None of the Options
O15 The major mechanisms regulating the glomorular filtration rate of the kidneys include the following expent
Q15 The major mechanisms regulating the glomerular filtration rate of the kidneys include the following, except © Renal autoregulation
O Hormonal regulation
O All of the above
O None of the Options
10 None of the Options
Q16 Which of the following is not a process during filtrate production by the kidneys?
O Glomerular filtration
C Tubular reabsoprtion
C Tubular scretion
None of the Options
Q17 Regarding the functions of the kidneys, filtrate production is a step process.
One True
C Two
C Three C Four
O Total
Q18 The basic function of the nephron is to filter
O Urine
O Water
C Blood
© None of the Options
Q19 The contains glands that lubricate the entrance to the vagina.
C Labia
Mammary glands
O Uterine tubes
None of the Options
Q20 The contains erectile tissue that gives pleasurable feelings during sexual activities.
O Uterus
O Clitoris
O Vas deferens
© Prostate gland
Q21 Theproduces milk that nourishes the infant.
O Vas deferens
Ovaries Varies
VaginaNone of the Options

O Uterus
C Vagina
C Fallopian tube
○ None of the Options
Q23 The womb is another name for the
O Skull
O Vas deferens
O Uterus
O Ovaries
Q24 Which of the following is a female reproductive organ?
O Ovary
O Vas deferens
O Seminal vesicle
None of the Options
Q25 The structure in the male reproductive organ that secretes mucus is called
C Vas deferens
C Cowper's gland
C Seminal vesicle
C Prostate gland
Q26 The prostate gland contributes percent of the total seminal fluid volume.
C 25
O 50
C 60
C 80
Q27 Which of the following structures contribute to 60% of the total seminal volume?
© Cowper's gland
C Vas deferens
C Seminal vesicle
C Prostate gland
Q28 The structure in the male reproductive organ that propels spermatozoa is called
C Prostate gland
C Cowper's gland
C Vas deferens
· ·
C Vas deferens C Seminal vesicle
C Vas deferens
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except
C Vas deferens C Seminal vesicle Q29 The following are structures found in the testes, except C Seminiferous tubules C Epididymis
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type II
C Vas deferers C Seminal vesicle Q29 The following are structures found in the testes, except C Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except C Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type II Type III
 Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type II
C Vas deferens C Seminal vesicle Q29 The following are structures found in the testes, except C Seminiferous tubules C Epididymis C Straight tubules C None of the Options Q30 The principal types of nephrones include the following, except C Cortical C Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. C Type I C Type II C Type III C Type III C Type IV
C Vas deferens C Seminal vesicle Q29 The following are structures found in the testes, except C Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except C Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type II Type III Type III Type IV Q32 Which of the following statements about the heart is/are correct?
 C Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type III Type IV Q32 Which of the following statements about the heart is/are correct? Oxygenated blood enters the left ventricle from the atrium
 C Vas deferers Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type III Type IV Q32 Which of the following statements about the heart is/are correct? Oxygenated blood enters the left ventricle from the atrium Systole restarts when the ventricles are filled
 C Vas deferens Seminal vesicle Q29 The following are structures found in the testes, except Seminiferous tubules Epididymis Straight tubules None of the Options Q30 The principal types of nephrones include the following, except Cortical Juxtamedullary All of the above None of the Options Q31 In hypersensitivity reactions, hay fever is a hypersensitivity reaction. Type I Type II Type III Type IV Q32 Which of the following statements about the heart is/are correct? Oxygenated blood enters the left ventricle from the atrium

Q33 Which of the following statements about the heart is/are correct?
Oxygenated blood enters the left atrium from the lungs through the pulmonary veins
The two ventricles relax during diastole
C All of the above
O None of the Options
Q34 At rest, the average heart beat of an adult is
O 40 beats per minute
○ 70 beats per minute
C 110 beats per minute
© 120 beats per minute
120 octus per filmate
Q35 Which of the following statements about the heart is correct?
The right ventricles pump deoxygenated blood to the lungs through the pulmonary artery
The left ventricles pump deoxygenated blood to the lungs
1 1 1
The right ventricles pump deoxygenated blood to the lungs through the pulmonary veins
None of the Options
026 Which of the fellowing statements about the heart is increased
Q36 Which of the following statements about the heart is incorrect?
At systole, the ventricles contract
C At diastole, the ventricles contract
At systole, the tricuspid valve is closed
At diastole, the ventricles relax
Q37 The contraaction and relaxation of the heart to pump blood is called
C Systole
O Diastole
O Heart beat
© None of the Options
Trong of the Options
Q38 The medulla oblongata is found in the
O The forebrain
O The midbrain
O The hindbrain
None of the Options
020 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Q39 Which part of the brain consists of the thalamus?
The forebrain
The midbrain
C The hindbrain
O None of the Options
Q40 Which of the following is not a part of the brain?
C The forebrain
C The midbrain
C The hindbrain
O None of the Options
•
Q41 Which of the following is the longest bone in the upper limb?
© Radius
O Humerus
O Ulna
O Clavicle
Chyle
Q42 The bone that connects the shoulder joint to the elbowis called •? •
O Ulna
O Radius
C Humerus
C Clavicle
O/2 The region between the albert and the write is called A 2 A
Q43 The region between the elbow and the wrist is called ? .
O Arm
C Forearm
O Arm

○ Shoulder
Q44 The sacrum is composed of how many bones after the age of 26 years? One Two
C Four C Five
Q45 The lumber vertebrae are in number. © Three
○ Four
C Five C Six
Q46 The largest vertebrae in the spinal column are the vertebrae
© Cervical
C Thoracic
C Lumbar C Sacral
Q47 The second cervical vertebra is called
C Axis
O Axel
O None of the above
Q48 The first cervical vertebra is called the
C Axis
O Atlas
C Axel C None of the above
Q49 The first seven vertebrae are called the vertebrae. © Cervical
O True
C Thoracic
C Lumbar
Q50 The vertebra column consists of irregularly -shaped bones called vertebrae.
C 30 C 31
C 32
○ 33
Q51 The last two sets of ribs in the body are called ribs.
C Floating
C True C False
O None of the above
Q52 The first seven ribs of the body are called ribs.
O False
© Floating
○ None of the above
Q53 The ribs found in the human body are $__$ in number arranged in pairs. $\bigcirc 21$
C 22
C 23
C 24
Q54 The part of the sternum also described as the tip is the Manubrium
© Gladioulus

C Xyphoid process C None of the above
Q55 The part of the sternum that is also called the "handle" is the Manubrium
C Gladioulus
C Xyphoid process
○ None of the above
Q56 The sternum is composed of how many parts? © Two
C Three
C Four
C Five
Q57 The bones form the posterior part of the cranium.
© Parietal
C Occipital
C Temporal
○ Frontal
Q58 How many facial bones are found in the skull?
C Fourteen
© Eighteen
© Eight
C Ten
Q59 The skull contains cranial bones.
C Two
© Four
C Six C Eight
Q60 Which of the following is not a layer found in the epidermis?
C Stratum basal
C Stratum spinosum
C Stratum granulosum
C None of the above
Q61 The cells that are found in the epidermis which take part in immune response and are damaged by ultraviolet radiation are
called ?
C Keratinocytes
C Langarhans cells
O Merkel cells
○ None of the above
Q62 Which of the following is not a principal type of cell found in the epidermis?
O Melanocytes
○ Keratinocytes
C Langarhans cells
None of the above
Q63 Which of the following vitamins is synthesised by the skin?
O Vitamin A
O Vitamin B
O Vitamin C
O Vitamin D
Q64 Which of the following is not a function of the skin?
© Excretion
O Non - storage of nutrients
© Blood reservoir
○ None of the above

Q65 Which of the following is not a function of the skin?

© Protection	
© Sensation	
© Regulation of body temperature	
O None of the above	
Q66 The adjusts water balance, tissue metabolism, cardiovascular and metabolic activitie	s.
© Sebaceous gland	
C Hair follicles	
C Thymus	
© Pineal gland	
Q67 The controls the production of red blood cells and elevates blood pressure.	
Pituitary gland	
♠ Adrenal gland	
○ Sebaceous gland	
© Pineal gland	
OCO The southele the endeavine functions of other clands and regulates growth and fluid b	nalamaa
Q68 The controls the endocrine functions of other glands and regulates growth and fluid by Parathyroid gland	aiance
O Pituitary gland	
O Pineal gland	
○ Sebaceous gland	
Q69 The organ that control timing of reproduction and set day - night rhythm is called .	
O Sebaceous gland	
O Pineal gland	
© Sweat glands	
C Parathyroid glands	
- I diviny to the galactic	
Q70 The provides perspiration for evaporation for cooling	
C Sweat glands	
C Hair follicles	
C Sebaceous glands	
© Epidermis	
Q71 The is the part of the skin that secretes lipid coating that lubricates hair shaft and	epidermis
O Sweat glands	
O Sebaceous glands	
C Hair follicles	
○ Sensory receptors	
Q72 Which of the following part of the skin covers the surface and protects deeper structures?	ı
© Epidermis	
© Dermis	
O Hair follicles	
O None of the above	
Note of the above	
Q73 Which of the following contains glands and nourishes the epidermis?	
O Dermis	
O Hair follicles	
C Sebaceous glands	
C Langerhans cells	
Q74 Which of the following produce hair and provides sensation?	
© Epidermis	
O Dermis	
C Hair follicles	
○ None of the above	
OFF THE CALL	
Q75 The following are ways to approach gross anatomy, except	
C Surface anatomy	
C Regional anatomy	
C Systemic anatomy	
None of the above	

Q76 is the examination of groups of specialized cells that work together to perform specific functions.
O Histology
© Gross Anatomy
© Cytology
C None of the above
Q77 is the examination of relatively large structures of the body with the unaided eyes.
© Cytology
C Histology
© Gross anatomy
C None of the above
1 Note of the above
Q78 is the analysis of the structure of the individual cells, the simplest units of life.
C Histology
© Gross Anatomy
C Cytology
C None of the above
Q79 The following are categories of microscopic anatomy, except
© Cytology
© Histology
C A and B
None of the above
Q80 Anatomy can be divided into different specialties based on the following, except
C Specific processes
O Medical application
O Degree of structural detail under consideration
O None of the above